



Certificate of Analysis # 2026-714/EXT/HPLC

Informations provided by the client

Sample Name: AMNESIA HAZE N.1171300081785-B28467202200001
Matrix: Plant Material
Product: Flowers

Prepared for

Southwest Extraction s.r.o.
Šumavská 1094/3, Vinohrady, 120 00 Praha 2 PRAHA
VAT CZ23544376

Laboratory Information


Acceptance Date: 27/02/2026
Test Start Date: 27/02/2026
Sampling: Sample delivered by the customer
Sample ID: H270226723/EXT

Compound	Result	UM	LOQ	Result (mg/g)	Measurement uncertain
CBDV	< LOQ	%(m/m)	0,02	< LOQ	
CBDA	16,23	%(m/m)	0,033	162,3	
CBGA	0,41	%(m/m)	0,035	4,1	
CBG	0,10	%(m/m)	0,018	1	
CBD	1,03	%(m/m)	0,015	10,3	
THCV	< LOQ	%(m/m)	0,02	< LOQ	
CBN	< LOQ	%(m/m)	0,02	< LOQ	
d9-THC	0,04	%(m/m)	0,028	0,4	
CBC	0,12	%(m/m)	0,017	1,2	
THCA	0,17	%(m/m)	0,02	1,7	
TOTAL CBD	15,26	%(m/m)	0,02	152,6	
TOTAL CBG	0,46	%(m/m)	0,02	4,6	
TOTAL THC	0,19	%(m/m)	0,02	1,9	
TOTAL MOISTURE	13,44	%	0,05	134,4	

%(m/m) = (Mass of the analyte/Mass of the product as it is)
NR Not Detected
LOD Limit of detection
LOQ Limit of quantification
<LOQ Below the limit of quantification

IST01 REV03 2022 (HPLC)
IST16 REV02 2022 (Termogravimetria)

I cannabinoidi totali vengono calcolati utilizzando le seguenti formule per calcolare la perdita del gruppo carbossilico durante la decarbossilazione
THC TOTALE = THC + (THCA * 0,877)
CBD TOTALE = CBD + (CBDA * 0,877)
CBG TOTALE = CBG + (CBGA * 0,877)



End of Test Report # Certificate of Analysis # 2026-714/EXT/HPLC

Test end date: 02/03/2026
Issuing date: 02/03/2026

The results reported in the Test Report refer only to the sample actually tested, as received. The Laboratory declines all responsibility for the methods of carrying out sampling, transport and storage of the samples until delivery, if carried out by the customer. The Laboratory assumes responsibility for the information and data contained in the test report, with the exclusion of what is declared by the customer. This CoA can only be reproduced in complete form: if not complete, it is allowed only after written authorization from the Laboratory Manager. Copies of this Test Report and related documents are kept for 4 years. The laboratory declines responsibility for any information provided by the customer that may affect the validity of the results. Test Report digitally signed and compliant pursuant to art. 23 Legislative Decree 7 March 2005 No. 82 CAD and subsequent amendments and additions.